



| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 20% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A1 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | | |
|--|--------------------|----------------------------------------------|------------------------------|------------|
| | Stormwater Pipes | Water Level - Major Contour (Spacing = 5m) | Flood Depth (m) 0.05 to 0.15 | 0.5 to 1.0 |
| | Levee | Water Level - Minor Contour (Spacing = 0.5m) | 0.15 to 0.3 | > 1.0 |
| | Study Area | | | |
| | Cadastral Boundary | | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 10% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A2 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | |
|--|---------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| | Stormwater Pipes Levee Study Area Cadastral Boundary | Water Level - Major Contour (Spacing = 5m) Water Level - Minor Contour (Spacing = 0.5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
| | | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 5% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A3 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | |
|--|---------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| | Stormwater Pipes Levee Study Area Cadastral Boundary | Water Level - Major Contour (Spacing = 5m) Water Level - Minor Contour (Spacing = 0.5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
| | | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 2% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A4 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | |
|--|--------------------|----------------------------------------------|--------------------------------------------------------------------------------------------|
| | Stormwater Pipes | Water Level - Major Contour (Spacing = 5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
| | Levee | Water Level - Minor Contour (Spacing = 0.5m) | |
| | Study Area | | |
| | Cadastral Boundary | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 1% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A5 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | | |
|--|--------------------|----------------------------------------------|------------------------------|------------|
| | Stormwater Pipes | Water Level - Major Contour (Spacing = 5m) | Flood Depth (m) 0.05 to 0.15 | 0.5 to 1.0 |
| | Levee | Water Level - Minor Contour (Spacing = 0.5m) | 0.15 to 0.3 | > 1.0 |
| | Study Area | | 0.3 to 0.5 | |
| | Cadastral Boundary | | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 0.5% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A6 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | |
|--|---------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| | Stormwater Pipes Levee Study Area Cadastral Boundary | Water Level - Major Contour (Spacing = 5m) Water Level - Minor Contour (Spacing = 0.5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
|--|---------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta 0.2% AEP Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: July 2019 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A7 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | |
|--|---------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| | Stormwater Pipes Levee Study Area Cadastral Boundary | Water Level - Major Contour (Spacing = 5m) Water Level - Minor Contour (Spacing = 0.5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
| | | | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|
| TITLE : Tarcutta PMF Peak Flood Depth and Level | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A8 |





Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.



| | | |
|--|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | Stormwater Pipes | Velocity (m/s) <ul style="list-style-type: none"> 0.3 to 0.5 0.5 to 1.0 1.0 to 2.0 > 2.0 |
| | Levee | |
| | Study Area | |
| | Cadastral Boundary | |

| | | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------|--|
| TITLE : Tarcutta 20% AEP Peak Velocity | | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | | |
| PROJECT No. 180051 | | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A9 | |

Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | |
|--|--------------------|---------------------------|
| | Stormwater Pipes | Velocity (m/s) |
| | Levee | |
| | Study Area | |
| | Cadastral Boundary | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------|
| TITLE : Tarcutta 10% AEP Peak Velocity | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A10 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.












| | | |
|--|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | Stormwater Pipes | Velocity (m/s) <ul style="list-style-type: none"> 0.3 to 0.5 0.5 to 1.0 1.0 to 2.0 > 2.0 |
| | Levee | |
| | Study Area | |
| | Cadastral Boundary | |

| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|---------------------------|
| TITLE : Tarcutta 5% AEP Peak Velocity | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A11 |





Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.




| | | | | | |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------|
|  |  Stormwater Pipes  Levee  Study Area  Cadastral Boundary | Velocity (m/s)  <ul style="list-style-type: none"> ■ 0.3 to 0.5 ■ 0.5 to 1.0 ■ 1.0 to 2.0 ■ > 2.0 | TITLE : Tarcutta 2% AEP Peak Velocity |  | |
| | PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | | | PROJECT No. 180051 |
| | DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A12 | | |

Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





- Stormwater Pipes
- Levee
- Study Area
- Cadastral Boundary








| | | |
|-----------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------|
| TITLE : Tarcutta 1% AEP Peak Velocity | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A13 |




Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.






-  Stormwater Pipes
-  Levee
-  Study Area
-  Cadastral Boundary

Velocity (m/s)




TITLE : Tarcutta 0.5% AEP Peak Velocity


PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans
PROJECT No. 180051





DATE: November 2020 **SCALE:** 1 : 22,000 / 1 : 5,500 **FIGURE NUMBER:** **A14**




Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.






-  Stormwater Pipes
-  Levee
-  Study Area
-  Cadastral Boundary

Velocity (m/s)




TITLE : Tarcutta 0.2% AEP Peak Velocity











PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans
PROJECT No. 180051



DATE: July 2019 **SCALE:** 1 : 22,000 / 1 : 5,500 **FIGURE NUMBER:** **A15**



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.



| | | | | |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  Stormwater Pipes  Levee  Study Area  Cadastral Boundary | Velocity (m/s)  0.3 to 0.5  0.5 to 1.0  1.0 to 2.0  > 2.0 | TITLE : Tarcutta PMF Peak Velocity PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans PROJECT No. 180051 |  |
| | DATE: November 2020 SCALE: 1 : 22,000 / 1 : 5,500 FIGURE NUMBER: A16 | | | |
| | Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey. | | | |



- Stormwater Pipes
- Levee
- Study Area
- Cadastral Boundary



Hazard Classification (AEM Handbook)

| | |
|------|------|
| ■ H1 | ■ H4 |
| ■ H2 | ■ H5 |
| ■ H3 | ■ H6 |

| | | |
|----------------------------------------------------------------------------------------|-------------------------------|---------------------------|
| TITLE : Tarcutta 5% AEP Flood Hazard Category | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A17 |



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.



- Stormwater Pipes
- Levee
- Study Area
- Cadastral Boundary



Hazard Classification (AEM Handbook)













| | |
|----|----|
| H1 | H4 |
| H2 | H5 |
| H3 | H6 |



| | | |
|----------------------------------------------------------------------------------------|-------------------------------|---------------------------|
| TITLE : Tarcutta 1% AEP Flood Hazard Category | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A18 |















Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.










| | | | | | | |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------|---------------------------------------------------------------------------------------|
|  |  Stormwater Pipes  Levee  Study Area  Cadastral Boundary | Hazard Classification (AEM Handbook)  H1  H2  H3  H4  H5  H6 | TITLE : Tarcutta PMF Flood Hazard Category PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans PROJECT No. 180051 DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A19 |  |
| | <p>Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.</p> | | | | | |



| | | | | | | | |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------|---------------------------------------------------------------------------------------|--|
|  |  Stormwater Pipes  Levee  Study Area  Cadastral Boundary | Hydraulic Categories  Floodway  Flood Storage  Flood Fringe | TITLE : Tarcutta 5% AEP Hydraulic Categories PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans PROJECT No. 180051 DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A20 |  | |
| |  | | | | | | |
| | <p>Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.</p> | | | | | | |














-  Stormwater Pipes
 -  Levee
 -  Study Area
 -  Cadastral Boundary
- Hydraulic Categories**
-  Floodway
 -  Flood Storage
 -  Flood Fringe


| | | |
|----------------------------------------------------------------------------------------|-------------------------------|---------------------------|
| TITLE : Tarcutta 1% AEP Hydraulic Categories | | |
| PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans | | |
| PROJECT No. 180051 | | |
| DATE: November 2020 | SCALE: 1 : 22,000 / 1 : 5,500 | FIGURE NUMBER: A21 |








Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





| | | | | | |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------|
|  |  Stormwater Pipes  Levee  Study Area  Cadastral Boundary | Hydraulic Categories  Floodway  Flood Storage  Flood Fringe | TITLE : Tarcutta PMF Hydraulic Categories PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans PROJECT No. 180051 |  | |
| | DATE: November 2020 | | SCALE: 1 : 22,000 / 1 : 5,500 | | FIGURE NUMBER: A22 |
| | <p>Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.</p> | | | | |




| | |
|---------------------------------------------------------------------------------------|----------------------|
|  | Study Area |
|  | Cadastral Boundaries |
|  | FPA (mainstream) |
|  | FPA (overland) |




| | | | |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|
|  | TITLE : Tarcutta 1% AEP Flood Planning Area (FPA) | |  |
| | PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans PROJECT No. 180051 | | |
| | DATE: November 2020 | SCALE: 1 : 22,000 | |

Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.





**Mainstream Flooding
Critical Duration
(18 hours)**



**Overland Flooding
Critical Duration
(1.5 hours)**

| | | | | | |
|--|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| | <ul style="list-style-type: none"> Stormwater Pipes Levee Study Area Cadastral Boundary | <ul style="list-style-type: none"> Water Level - Major Contour (Spacing = 5m) Water Level - Minor Contour (Spacing = 0.5m) | <p>Flood Depth (m)</p> <ul style="list-style-type: none"> 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 | <p>TITLE : Tarcutta 5% AEP Peak Flood Depth and Level - Comparison of Mainstream Flooding and Overland Flow</p> <p>PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans</p> <p>PROJECT No. 180051</p> | |
| | <p>DATE: November 2020</p> | <p>SCALE: 1 : 5,500</p> | <p>FIGURE NUMBER: A24</p> | | |

Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.



| | | |
|------------------|----------------------------------------------|--------------------------------------------------------------------------------------------|
| Stormwater Pipes | Water Level - Major Contour (Spacing = 5m) | Flood Depth (m) 0.05 to 0.15 0.15 to 0.3 0.3 to 0.5 0.5 to 1.0 > 1.0 |
| Levee | Water Level - Minor Contour (Spacing = 0.5m) | |
| Study Area | Cadastral Boundary | |

TITLE : Tarcutta 1% AEP Peak Flood Depth and Level - Comparison of Mainstream Flooding and Overland Flow

PROJECT: Tarcutta, Ladysmith & Uranquinty Floodplain Risk Management Studies and Plans

PROJECT No. 180051

DATE: November 2020 **SCALE:** 1 : 5,500 **FIGURE NUMBER:** **A25**



Disclaimer: The flood behaviour shown was determined using airborne laser scanning survey and is approximate only. The extent of inundation at individual lots near the flood fringe should be confirmed by site specific survey.